App I IX 4

Previous References
Inl 119 -

1933
(Inl)

File No 119 33
Serial Nos 4, 5, 6,

Letter References

GENERAL AND REVENUE SECRETARIAT

Serial Nos Four

Part B for Sept 38

SUBJECT
Water metering, House-Connections in Mysore City

WD 0295—GPB—22 500—13 8 37

1205

L 5741

eneral and [illegible]ue Secretariat | File No 119 of 1933 | [App F III—2

Serial No

4 Letter no G J 2242 dated 16th June 34, from the President enclosing inter Engineer forwarding for sanction copy of the resolution of the Municipality that a sum of Rs 2760 may be advanced to the water supply Deptt for fixing 155 meters to Public buildings, Parsis and Bungalows, one third of the cost thereof being debited to Govt

1 Submits with reference and draft Sanctioning for approval or order

Govt 11/6/34

C Reference is invited to the unofficial note D/12/34 of the Director of Health, on which this Office letter no L 5817 D/12/34 was based

3 The Municipality have resolved that the metering of Govt institutions parks & gardens be taken up first According to the Director of Health 155 meters will be sufficient for these purposes & 145 will be left for metering bungalows with large gardens The Municipality estimate the cost of metering the public parks etc at Rs 2760 & want the Govt to meet one third of the cost

4 It is not clear if the work of metering has been regarded as capital work & 1/3 of the cost debited to Govt The source from which the Govt share of the cost can be met has also to be

NOTE—Contn Sheet

WD 01536—GPB—7 500—5-4-34

741

File No _____ of 193 | General and Revenue Secretariat

decided the grant under 30 Grants for Public Improvements for Water Supply in towns cannot perhaps be made available for this purpose, in view of the large number of requests for grants from Municipalities

5. The Director of Health may be | A
counseled unofficially on the above points



(Chief Secy)
18/6

CHIEF SEC
13 JUNE 1934

A 9/6/34
RR
19/6/34

Forwarded with compliments unofficially to the Director of Health in response for favour of remarks

Memo No 252-33
Dt 21-6-34

Asst
for Chief Secy to Govt

Returned dated with compliments to the Chief Secretary to Government with the following remarks

The estimate of Rs 2,760/- for repairing the meters, is a charge against the Annual Maintenance Estimate and cannot be regarded as a capital work portion of the estimate has been worked out last year, out of savings in the Annual Maintenance estimate and the other portion will be worked out this year no fresh allotment is necessary, as the entire cost will be met from the Annual Maintenance estimates of 1933-34 and 1934-35

D O No C 782-10
Dt 20-7-34

CHIEF SEC
20 JULY 1934

Director of Health
20/7/34

RR
23/7/34

General and Revenue Secretariat | File No 5741/L778 of 193 | [App F III—2

Serial No	
	10) A draft Sanctioning is subd for approval Chief Secy) 11) Appd. [illegible] 28/7 RR 25/7/34 Secy [illegible] 28/7
5	Issued vide 6714-6 of 30/7 (12) to Director of Veterinary Civil Medical Services, Director of Health Services and Labour Welfare Officer
6	Letter no 2000 W A D I dated 21/8/34 from the Commissioner to Govt, stating that the expenditure on account of fixing meters falls under the head of improvement of water supply and distribution system expressly and that if it is thus considered that the outlay has to be charged to the Annual maintenance Estimate, the Govt of 20th July 1934 may be caused to be communicated thus the Financial Dept 13 Subsidiary for order the G.O was based on the Opinion of the Director of Health (Retd Surg a) by [illegible] 7/8 14) The file may be referred to the Director of Health Services for favour of remarks Chief Secy) [illegible] 31/8 15) Yes RR 8/9 [illegible] 8/9

SEP 1934

NOTE—Contin Sheet

Mr R M V.
14/11/34

2070

32

33 Please refer to the file & treat the matter as urgent

RR
13/11/34

14/11

CE

10

Con 99

Serial No.

To the President Mysore
No L 3298 Dy 7 11 34

Enquire whether the working Metering Scheme has been completed and in what stage the purchase of meters have connection stands

To the Dir of Health No L 3298 Dy 7 11 34
Forwards copy for information

34 Instructions in Council in the file re
Revenue of the proportion of maintenance charges of the Vanivilas Water works to be borne by the Govt of the Mysore

(2) Director of Health to be asked to submit proposals for purchasing installing meters "
(3) Rules of Water Distribution to be introduced as in Bangalore "

35 Draft to Dir submd for appn

chief secy) 10/11

36 Issd
Dy
10/11/34
10/11

7 The Director of Health
No L 3389 dated 12-11-34
Requests him to submit proposals for installation of meters in Mysore city & to revise the water supply rules similar to the one in Bangalore city & to forward monthly progress reports

CHIEF SECRETARY
10 NOV 1934

urgent Secy A
22 | x1

NOTE—Contn Sheet

FD 01955—GPB—22 500—12-6 34

No L 3390 dated 12-11-34 Copy to the President Mysore City Mcty

Fixing of water meters to Buildings in Mysore city

770/20/0/2812

Ml File No 119 of 1933 General and Revenue Secretariat

Letter No C 782-26 dated 15-12-1934 from the Director of Health stating that 46 Govt and 63 Palace Buildings have been metered and that spare parts for the remaining 46 meters have been ordered and that every effort is being made to economise consumption of water by throttling down the valves at places where wastage is suspected

Letter No Dy T 1023 dated 17-12-34 from the President, Mysore City Municipal Council submitting a report in the matter

37 Submitted for perusal It is seen that RDW 21/12 action is being taken to meter the house connections also. The further report promised by the Muni Pdt after Consulting the Dr of Health, may be awaited

MV 21/12

38 The Previous letter and Govts Orders are submitted for perusal with reference to the Dewans Minutes Dy B 11 34 & 13 11 34 (Paras 25 & 32 Supra)

PHD I & II

DEWAN'S OFFICE
22 DEC 1934
No. 3474
DEC 1934

Chiefsecy) 24/12

Dewan 39 RR 22/12/34 MV 22/12

40) 22-12-34

RR 24/12 MV

Sec B ✓ 25/12

1888

Drainage matters in Mysore city

General and Revenue Secretariat — File No 119 of 1933 — [App F III—2

Serial No

41 Further report promised by the Dpty City Mcl Mysore has not yet been received

Issued with a draft

9/7 AM 9/7

Issue ttm 10/7

Issued 305 8/3/35

11 JUL 1935 GENL & REV SECTT

Letter no by J 454 dt 20/8/35 from the President city mcl mysore stating that a note on the subject has been obtained from the Director of Health and action would be taken soon after the receipt of the additional information called from him & a report to that effect

43 It is also stated that the mcl have resolved to borrow from Govt as much amount as is required for working out a comprehensive scheme for improving the water supply in the city, about which a reference has been made separately to Govt and

44 The reference referred to has not been received here yet

The receipt of this will be awaited MY

45 Submitted for orders

Fs MY 29/8/46

46 For perusal

29/8

29 AUG 1935 RETARD

Chetsey 47 29/8 ttm 29/8

NOTE—Contn Sheet

WD 01955—GPB—22 500—12-6 34

Now the mcl has since been addressed by separate letter dated 9/8/35 MY

Issue MY 29/8

48 Please note in what stage the question of the grant of a loan to the Mcp for the improvement of its Water Supply - including the fixing of meters to check Wastage of water - Stands The connected file may also be put up

49 The Connected file is received herewith Urgent Attn 30/1
The Presidents further report in the matter of the grant of the Loan to the Municipality has not yet been received A reminder was issued yesterday

80/36 30/1 50 The progress made in metering, up to the middle of Dec 1934, was reported by the Director of Health in his letter No C 782-26 Dt 15 12 34, and the latest communication on the subject is from the President of the Muni Council - No GT 454 Dt 20 8 1935 H I

51 Regarding the loan for the comprehensive scheme for the improvement of water supply in the city - including the fixing of meters - referred to in para 2 of the President's letter referred to above, reference is invited to this Office letter No L 1801 Dt 7 9 35 in the linked file calling for specific proposals as to the loan required the ways and means for the Discharge of the loan These proposals have not yet been received & the President has been reminded in the matter The delay is perhaps due to the fact that the Muni have not come to a final decision in regard to the proposals for the levy of additional M

†Metering the house connections in the Cyclostyle Office

886

General and Revenue Secretariat | File No | of 193 | [App F. III—2

Serial No

additional taxes, from the proceeds of which they have found money for payment of the annual instalment of the loan to be taken

52— Subd with reference to personal instructions

Chief Secy) Asst 30/1

CHIEF SECRETARY 30 JAN 1936

53 I have asked the opposite Assistant a ~~draft draft~~ note separately for levy of the additional taxes ~~under~~ Compulsorily for default of levy by Council That matter will be kept in view

54 The Dewan desires that metering of private house-connections on Mysore mains must be enforced Compulsorily, in order to avoid wastage of water Subd for perusal

2nd Member) Asst Engr

Asst 30 1-36 31/1

55 It is not clear from these papers what action the Municipal Council proposes to take We have not heard since August 34 The Chief Secy may please write Dewan Sahib to the President and ascertain the position

Asst 1/2/36 1-2-36 Asst 4/2

56 Draft D.O. to Secretary

NOTE—Contd Sheet

WD 03 94—GPB—30 000—18 7 35

CHIEF SECRETARY 3 FEB 1936

Chief Secy) 3/2/36 Asst 3/2

57 58

3/2 D.O. No. L 5905 D. 14 2 36 Issued under Chief's signature Asst 4/2

Water metering house connections in Mysore city

File No 888 ft 1/48 of 193 | General and Revenue Secretariat

59

No reply has yet been received from the President
Draft of a D o is submitted

Rmr 24/2 MS 26/2

60 Issue 26/✓

TYPING C
26 FEB 1936
ENL

Issued No L 6545 dated 28-2-36

Sus A 29/2 MS 4/3

D o letter No Y T 1899 dated 9-3-36 from the President, city Municipal council Mysore, stating that the subject will be placed before the Municipal council with the information called for from the Water supply Department in the matter when the same is placed before and the decision intimated

Submitted for perusal with reference to para 53 supra

Rmr MS 17/3

H Member 14/3

CE OF THE
SECOND M OF E UR IL
14 MAR 1936
No 7089

MU 15/3/36

Asst 16/3

15/3 16/3 MU 17/3

B
Asst
15/3/38

M&I 119-33-1

No GT 2242
Enc 1

Office of the President, 5741
City Municipal Council, Mysore
Dated 6th June 1934

From

B T Kesava Iyengar, Esq , B A ,
President, City Municipal Council,
Mysore

To

The Chief Secretary to the Government
of His Highness the Maharaja of Mysore,
Bangalore

8 JUNE 1934

Sir,

Referring to your letter No L 5817/M1 119-33-3 dated 23-1-34 / 1-2-34 stating that out of 300 meters available in Mysore which could be put into service after some repairs and overhaul, 155 meters would be required for metering public buildings, Parks and the Palace and the remaining 145 meters might be used for metering domestic connections commencing with bungalows with large gardens, I have the honour to state that the above letter was recorded by the Council in their Resolution No 393 dated 28-3-1934 with the observation that all Government institutions including Parks and Gardens be metered first

In accordance with the Council's Resolution, it was proposed to take action to meter the Government institutions, with available meters the cost of which was ascertained to be Rs 2,760/-

A note dated 2-5-1934 requesting the sanction of the Council for the above expenditure was placed before the Council at their meeting held on 26-5-1934, and the Council have sanctioned the outlay, one-third cost being debitable to Government

I request the favour of sanction of Government being accorded to the resolution of the Council copy whereof is hereto appended

I have the honour to be,
Sir,
Your most obedient servant,

President

PVR

[redacted] the 27th (Ordinary) meeting of the Mysore Municipal Council held in the Council Chamber on Saturday 26th May 1934 at 4 30 P M

Present

B T Kesava Iyengar, Esq , B A , President

1 Mohamed Sait, Esq , Vice-President
2 P Sitharamiah, Esq , B A ,B L ,
3 C Narasimhiah Esq , B A ,B L ,
4 S Krishnaswami Rao, Esq , B A ,LL B ,
5 A Venkatesiah, Esq , B A ,LL B ,
6 K N Venkatakrishniah, Esq , B A ,
7 V Lingappian, Esq , B A ,LL B ,
8 D B Viswambhariah, Esq ,
9 H C Dasappa, Esq , B A ,LL B ,
10 W H Theobald, Esq ,
11 M Shankariah, Esq , B A ,LL B ,
12 A J Ram, Esq ,
13 Y Virupakshian, Esq ,
14 Hussain Ali, Esq ,
15 Rev G W Sawday
16 G Ahmad Khan, Esq ,
17 Mahomed Valiullah, Esq , B A ,LL B ,
18 B L Maridandiah, Esq ,

Absent

1 M K Krishna Rao, Esq ,
2 RaoSahib M Ramaswamy Esq ,
3 A Krishna Rao, Esq ,B A ,B L ,
4 M C Thammiah Esq ,
5 A R Srikanta Sarma, Esq ,
6 U L Ramachandra Rao, Esq ,
7 A Mariyappa, Esq , B A ,LL B ,
8 Mahomed Ghouse Peer Esq ,
9 K Dhanakot Chetty, Esq ,
10 V T Arumuga Mudliar, Esq ,
11 Madhava Rao Power, Esq ,

x x x

502 Office Note dated 2-5-1934 re the sanction of the Council for the expenditure and the advancing of Rs 2760/- to the Water Supply Department for fixing 105 meters to Public buildings, Parks and Palace Buildings

Resolution- Sanctioned, one third cost being debitable to Government

x x x

Sd/-B T Kesava Iyengar,
President

"Copy"

President

G R S App F VI—G 2]

SUBJECT

Diary No of letter replied to L 5741

Section mk

File No 119-33

Serial No 5

General and Revenue Secretariat

(mk)

the *193*

Proceedings of the Government of His Highness the Maharaja of Mysore

Date of issue 30-7- 1934

Signed by Dr a S. Rao

Read— Correspondence ending with letter no E 3 22442 dated 6th June 1934, from the Brewery Ltd, Mysore forwarding for sanction a copy of the resolution of the Mdl Committee that an expenditure of Rs 2760|- may be ~~Order thereon—To be debited to the Water Supply Department~~ incurred for laying 155 meters to Public buildings, Parks and Palace buildings in the city and that the expenditure ~~be debited~~ being debitable to Ga

Order L 694-6
dt 30-7-34

Sanctioned, the entire cost on this account being met from the Annual Maintenance Estimates of the Water Works for 1933 34 & 1934 35

Chief Secy to Govt

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette Kannada Part

To Mdl Committee Mdl Mysore
The Comptroller Bgal
The Director of Health

List of Enclosure

Copied by

Examined by

WD 73—GBI M—20 000—10-8 31

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read —

Correspondence ending with letter No G T 2242 dated 6th June 1934 from the President, City Municipal Council, Mysore, forwarding for sanction a copy of the resolution of the Municipal Council that an expenditure of Rs.2,760 may be incurred for fixing 155 meters to Public buildings, Parks and Palace buildings in the Mysore City one-third expenditure being debited to Government

Order No. L 694-6/Rel 119-33-5

Dated Bangalore 30th July 1934

Sanctioned, the entire cost on this account being met from the Annual Maintenance Estimates of the Water Works for 1933-34 and 1934 35

Bhaskara Rao

For Chief Secretary to Government.

To

The President City Municipal Council Mysore

The Comptroller to Government

The Director of Health in Mysore

Tod 4

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OI MYSORE

Read –

Correspondence ending with letter No C T 2242 dated 6th June 1934 from the President, City Municipal Council, Mysore, forwarding for sanction a copy of the resolution of the Municipal Council – that an expenditure of Rs 2,760 may be incurred for fixing 155 meters to Public Buildings, Parks and Palace buildings in the Mysore City one-third expenditure being debited to Government

– – – –

O r d e r No L.694-6/Ml.11[illegible]-33-5,

Dated, Bangalore 7th July 1934

Sanctioned, the entire cost on this account being met from the Annual Maintenance Estimates of the Water Works for 1933-34 and 1934-35

Asst. Secretary
For Chief Secretary to Government.

The President, City Municipal Council, Mysore
The Comptroller to Government
The Director of Health in Mysore

bnl.4

Ml 119-33-6

OFFICE OF THE COMPTROLLER TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE

No 200 WAD I *Bangalore dated* 21st August 1934

770

From
A N RAGHAVACHAR Esq MA
Comptroller to the Government of
His Highness the Maharaja of Mysore
Bangalore

R Ranga Rao, Esq , B A , B L ,
Chief Secretary to the Govt of Mysore,
Bangalore

Sir,

5741

With reference to Government Order No L 694-6/Ml 119-33-5 dated 30th July 1934 sanctioning an expenditure of Rs2,760/- for fixing 155 meters to Public Buildings, Parks and Palace Buildings in the Mysore City and directing the above outlay to be met from the Annual Maintenance Estimate of the Vani Vilas Water Works for 1933-34 and 1934-35, I have the honor to state that in accordance with para 714 (a) all works exceeding Rs1,000/- in value whether directly or indirectly remunerative have to be charged to the Capital Account The work of fixing meters therefore falls under the work of improvement of water supply and distribution system in Mysore City for which a sum of 1½ lakhs was sanctioned in Government Order No 112-115/Ml 248-3-14 dated 6th July 1934 If it is still considered that the outlay has to be charged off to the Annual Maintenance Estimate itself, the Government Order under reference may kindly be caused to be communicated through the Finance Department

I have the honor to be,
Sir,
Your most obedient servant,

H Sreenivasaiah
For Comptroller

913

MSR

Appendix F G—1]

SUBJECT

Section DML

File No

Serial No

Diary No of letter replied to

No. L 3298

To The President
Mysore City Munt Council

General and Revenue Secretariat

( )

the *193*

Sir

I

With reference to C.T.O no L 694-6
ME 119-33-5
D 30734 sanctioning an expenditure
of Rs 2760 for fixing 155 water meters for
public buildings, parks and Palace
buildings in the Mysore City, I am
directed to enquire whether the work
has been completed and
in what stage the question of
installing meters for house connections
at the C.S Stands I am to add that
the Cauvery water is understood to be
very high at present and that the
sooner the metering is done the better
A weekly report is requested

Date of issue 7/11

Signed by Mr A S Rowe

List of enclosures

Copied by

Examined by 7/11/34

DO L 3299 27-11-34

WD 0677—G PB—15 000—8 11-33

Copy to Dr J Heath
Forward copy for information

Dr Thamer
27/11/34
Chief Secretary

Appendix F G—1]

SUBJECT —

Section Mc
File No 119 – 33
Serial No 7

Diary No of letter replied to

No L 3389 Encore

To

To The Director of Health

General and Revenue Secretariat

( )

the *193* Aug 5

Date of issue 12/11

Signed by Mr A S Rees

Sir, In continuation of this Office memo no L 3299 dt 7/8/34 forwarding copy of letter no L 3298 of the same date regarding the installation of water meters in the mysore city, I am directed to state that the consumption of water in the city is stated to have increased considerably pending the need for adequate control of the supply of water and request that proposals may be submitted for installing meters throughout the city in consultation with the President of the Mcy

I am also to request, in this connection, that the Water Supply rules now in force in the City may be suitably revised so as to provide for effective control

List of enclosures

Copied by

Examined by

WD 71—GBPM—40 000—20 7 31

of the supply of water, on the lines of the revised rules framed for the Bangalore city and published in Notification No d 1740 / TE 105 34-1 dy 8 § 34 (copy enclosed)

These questions may kindly be treated as urgent and monthly progress reports sent for the information of Govt

Yours
10/11/34
Chief Engineer

for 10/11

L 3390/Ins & 12 11-33.
Copy forwarded to the President
Cottage for information

D O

for 10/11 Ch Engr

14/10

Extra

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

No L 3389 Encone / Mc 119-33-7

General and Revenue Secretariat

Bangalore Dated 12th Nov 193 4

From

The *Chief Secretary to the Government of His Highness th Maharaja of Mysore*

To

The Director of Health in Mysore,
BANGALORE

Sir

In continuation of this office Memo No L 3299 dated 7th - - - November 1934, forwarding copy of letter No L 3298 of the same date regarding the installation of water meters in the Mysore City, I am directed to state that the consumption of water in the City is stated to have increased considerably, pointing to the need for adequate control of the supply of water and to request that proposals may be submitted for installing meters throughout the City in consultation with the President of the Municipality

I am also to request, in this connection, that the water supply rules now in force in the City may be suitably revised so as to provide for effective control of the supply of water, on the lines of the revised rules framed for the Bangalore City and published in Notification No L 1740/M1 105-34-1 dated 8th September 1934 (Copy enclosed)

These questions may kindly be treated as urgent and monthly progress reports sent for the information of Government

I have the honour to be,
Sir,
Your most obedient servant,

(Sd) R Ranga Rao,
Chief Secretary to Government

P T O

M E M O No L 3390/Mc

Dated, Bangalore, 12th November 1934

Copy of the above is forwarded with compliments, to the President, City Municipal Council Mysore for information

By order,

Asuba Rao

for Chief Secretary to Government

RMC

GOVERNMENT OF MYSORE

DEPARTMENT OF HEALTH

2812/1

J V KARVE MB CHB DPH
Director of Health

Telephone 340
Telegram HEALTH

No C782-26

Encl

GRACE VILLE PALACE ROAD

Bangalore (S India) dated December 15, 1934

FROM

J V KARVE ESQ MB CHB (EDIN) DPH (LOND)
Director of Health with the Government of
H H the Maharaja of Mysore Bangalore

To

Rajaseva Sakta R.Ranga Rao, Esq ,B A , B L ,
Chief Secretary to the Governmentof
H H the Maharaja of Mysore, Bangalore

SIR

With reference to your letter No L 3389/M1 119-33-7 dated 12th November 1934, on the subject of Metering Mysore water supply etc , I have the honour to furnish herewith progress report upto 12th December 1934

46 Government and 63 Palace Buildings have been metered.

Spare parts for the remaining 46 meters have been ordered and when they are received the remaining Government and Palace buildings will be metered

The question of metering all houses and the drafting of suitable rules is engaging attention Every effort is being made to economise consumption by throttling down the valves at places where wastage is suspected

I have the honour to be,

Sir,

Your most obedient servant,

J V Karve

Director of Health

G T 1023

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE
DATED 17th December 1934

17 DEC 1934
2853

FROM

B T KESAVAIENGAR ESQ B A
President City Municipal Council
MYSORE

SECRETARIAT DEC 17 Rec'd 19/12

The Chief Secretary to the Government of
His Highness the Maharaja of Mysore
BANGALORE

SEN C
20 DE
L & G BRANCH

Sir

With reference to your letter No L 3298/A1 119-33 dated 7th November 1934 enquiring whether the metering of Government and Palace buildings has been completed I have the honour to state that the Director of Health who was addressed in the matter states in his letter No C 782-24 dated 8-12-1934 that so far about 100 meters have been installed that spare parts required for the remaining 55 meters are not yet received and that the metering of the remaining buildings would be taken up as soon as the parts are received

As regards the question of metering house connections in the City I may state that the Director of Health has been requested to intimate when it would be convenient for him to meet and discuss the matter with me before formulating proposals for the consideration of the Council Action will be taken to dispose of the matter speedily and a report submitted to Government at the earliest possible date

I have the honour to be
Sir
Your most obedient servant
PRESIDENT

GV

Appendix F G—1]

SUBJECT

Section ml

File No

Serial No /

No C 305

Diary No of letter replied to

To

The Pat city mcl Mysore

General and Revenue Secretariat

( )

the *193*

Sir,

I am directed to invite ref to your letter no GT1023/17-12 re fixing of water meters to buildings in Mysore city, and to request you to inform as to state when the report promised in Para 2 of your letter may be expected

I have etc

Date of issue 13-7-35

Signed by for ASL

List of enclosures

Copied by

Examined by

for Chief Secy to Govt

WD 01956—GPB—22 500—12-6 34

GT 454 dt 65

888

Office of the President,

No City Municipal Council, Mysore

Dated 20th August 1935

From

M A Sreenivasan, Esq ,B A

President, City Municipal Council
Mysore

To

The Chief Secretary to
the Government of His Highness the
Maharaja of Mysore Bangalore

Sir,

With reference to your letter No L.305 dated 11/13th July 1935 regarding the submission of a report in the matter of metering the House connections in the City, I have the honour to state that a note on the subject has been obtained from the Director of Public Health, and that additional information has been called for On receipt of the information, further action will be taken in the matter and a reply sent to Government

It may be mentioned in this connection that the whole scheme as formulated entails an initial cost amounting to about Rs 2½ lakhs The Municipal Council have, at their meeting held on 27th July 1935 resolved to borrow from Government as much amount as is required for working out a comprehensive scheme for improving the water supply in the City- and this scheme it is presumed- would include also measures for checking wastage of water by metering A reference in this regard has been separately made to Government

I have the honour to be

Sir,
Your most obedient servant

M Sreenivasan
President

SSP

L 5905 Q 4-2-36

Dear Mr Secretary.

please refer to the correspondence ending with your letter no Q 7 454 dated the 20th August 1935 in the matter of metering the house-connections in the Mysore City. It is not clear from the correspondence as to what action this Mt. be proposed to take or have taken in this matter and no information regarding this has been received from you since August 1935. Govt

Consider that the
metering of private
house-connections in this
city must be
enforced ~~Compulsorily~~ in
order to avoid wastage
of water
In the circumstances I am
desired to request you to
state the position in
which this question stands
at present

Yours truly
[illegible]

M A Commissioner, D.S.
Present cypher Major

D.O. No. L 5905
me

4th February 6

Dear Mr Srinivasan,

Please refer to the correspondence ending with your letter No G T 454 dated the 20th August 1935 in the matter of metering the house-connections in the Mysore City It is not clear from the correspondence as to what action the Municipal Council propose to take or have taken in the matter and no information regarding this has been received from you since August 1935 Government consider that the metering of private house-connections in the Mysore City must be enforced compulsorily in order to avoid wastage of water

In the circumstances, I am desired to request you to state the position in which this question stands at present

Yours sincerely,

M A Srinivasan, Esq , B A ,
President City Municipal Council,
Mysore

psk-2

Extra

D V No L6545 me

GENERAL AND REVENUE SECRETARIAT

Bangalore Dated 27th/28 February 1936

Dear Sir,

I am desired to invite reference to the correspondence ending with this office letter No L 5905 dated 4th February 1936 re water metering house connections in the City and to request you to kindly expedite your reply thereto

Yours sincerely,

Asst

M A.Srinivasan Esq B A ,
President, City Municipal Council,
MYSORE

Room

Appendix F G—1]

SUBJECT

Section M.

File No

Serial No

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 28/2/36

Signed by A S Row

List of enclosures

Copied by

Examined by

No L6545

To

Dear Sir,

I am directed to invite reference to the correspondence ending with this office letter No L 5905 dated 4-2-36 re watering house connections in the city and to request you to kindly expedite your reply thereto

Yours sincerely

for Secy

M A Srinivasan Esq B A

President, City Municipal Council, Mysore

Recd

SREENIVASAN
PRESIDENT

G T 1899
9-3-36

CITY MUNICIPAL OFFICE
MYSORE
5th March 1936

4148/L

Dear Sir,

With reference to your D O No L 5905/M1 of the 4th ultimo in the matter of metering the house-connections in Mysore City, I write to state that certain additional information in that connection had been called for from the Department and has since been received from the Director of Health

The subject will now be placed before the Council and their decision submitted for orders of Government early

Yours sincerely,

M D Sreenivasan

To

A V Ramanathan, Esq , B A,
Chief Secretary to Government
of His Highness the Maharaja
of Mysore,
Bangalore

PVR